

1 FIRST FLOOR HVAC PLAN - NEW WORK
M 7

SCALE: 1/8" = 1'-0"

GENERAL NOTES

1. ALL EXISTING HVAC AND PIPING WAS TAKEN FROM EXISTING DOCUMENTS. VERIFY EXISTING DUCT SIZES, PIPE SIZES AND LOCATIONS PRIOR TO STARTING WORK.
2. COORDINATE ALL WORK AND INTERRUPTIONS WITH THE OWNER PRIOR TO BEGINNING WORK.

NEW WORK PLAN NOTES

1. DX-1/DX-2 CASSETTE INDOOR UNIT LOCATED IN CEILING. CONDENSING UNIT CU-1/CU-2 LOCATED ON NOA RATED STAND ON ROOF. INSULATED REFRIGERANT PIPING TO SPLIT SYSTEM UNITS. CONTRACTOR TO VERIFY ALL CLEARANCES ON SITE. REFER TO MANUFACTURERS SPECIFICATIONS FOR PIPE LENGTH LIMITATIONS AND SIZING.
2. FULL SIZED INSULATED COOPER CONDENSATE DRAIN ROUTED TO NEAREST CONDENSATE RECEPTACLE DRAIN. COORDINATE WITH PLUMBING.
3. WALL MOUNTED HARD WIRED T-STAT FOR DX-1 & -2.
4. LOCATION OF DUCT MOUNTED STATIC PRESSURE SENSOR.
5. DOUBLE WALL DUCT FROM THIS POINT BACK TO RTU.
6. RETURN/SUPPLY DUCTWORK UP TO RTU.
7. ALL EXPOSED DUCTWORK SHALL BE OF DOUBLE WALL CONSTRUCTION.
8. TYPICAL SMOKE DETECTOR LOCATED IN THE SUPPLY DUCT BEFORE THE FIRST BRANCH TAKEOFF FOR EACH RTU. SMOKE DETECTOR TO BE PROVIDED AND WIRED UNDER DIVISION 26, AND MOUNTED UNDER DIVISION 23. WIRE TO ACTIVATE FIRE ALARM SYSTEM UPON DETECTION OF SMOKE. THE FAN SHALL SHUT DOWN UPON ACTIVATION OF ANY STATION OF THE FIRE ALARM SYSTEM.
9. EXHAUST DUCTWORK UP TO ROOF MOUNTED GRAVITY VENTILATOR GV-1-1.
10. EXHAUST DUCTWORK UP TO ROOF MOUNTED GRAVITY VENTILATOR GV-2-1.
11. EXHAUST DUCTWORK UP TO ROOF MOUNTED GRAVITY VENTILATOR GV-2-2.
12. RELIEF DUCTWORK UP TO ROOF MOUNTED GRAVITY VENTILATOR GV-4-1.
13. RELIEF DUCTWORK UP TO ROOF MOUNTED GRAVITY VENTILATOR GV-6-1.
14. WALL MOUNTED FAN CONTROLLER FOR EXHAUST FANS EF 7-2, EF-7-3, AND EF-7-4. PROVIDE CATEGORY 5 COMMUNICATION WIRING BETWEEN WALL CONTROLLER AND FANS IN CONDUIT.
15. COORDINATE QUANTITY, DIAMETER, AND LOCATIONS OF EF 7-2, EF-7-3, AND EF-7-4 WITH WAREHOUSE FURNITURE PLAN AND THE MANUFACTURER'S REQUIREMENTS FOR CLEAR SPACE.
16. EXISTING EXHAUST FANS EF-7 AND EF-8 DUCT OPENING ABANDONED IN PLACE FOR FUTURE USE BY LANDLORD.

Stephen Boruff, AIA
Architects + Planners, Inc.
AAC 002226


Architecture
Planning
Interior Architecture

901
Northpoint Parkway
Suite 101
West Palm Beach
Florida 33407

J L R D JOHNSON, LEVINSON
BAGAN, DAYTON, INC.
COMMERCIAL ARCHITECTS
1450 Centrepark Boulevard, Suite 350
West Palm Beach, Florida 33411
(561) 888-2303 (561) 888-2302 Fax
www.jlr-d.com

Ruben Ortega Blanco, P.E. 90645
Ward C. Connors, P.E. 45659

New Kitchen
Facility for



701 Boutwell Road
Lake Worth, FL 33461



Project No. 22.046
24 February 2023
Bidding, Permit and
Construction

M
5

JLRD PROJECT NO:
12210